



NTN Bearing Driveshaft do Brasil



NU 316 ECJ/C3 Bearing 2D drawings and 3D CAD models

3.15 Inch | 80 Millimeter x 6.693 Inch | 170
Millimeter x 1.535 Inch | 39 Millimeter SKF NU
316 ECJ/C3 Cylindrical Roller Bearings

Bearing No. NU 316 ECJ/C3

| | |
|---------------------------|---|
| Category | Cylindrical Roller Bearings |
| Inventory | 0.0 |
| Manufacturer Name | SKF |
| Minimum Buy Quantity | N/A |
| Weight | 3.95 |
| EAN | 7316577652218 |
| Product Group | B04144 |
| Bore Profile | Straight |
| Cage Material | Steel |
| Precision Class | RBEC 1 ISO P0 |
| Number of Rows of Rollers | Single Row |
| Separable | Inner Ring - Both Sides |
| Rolling Element | Cylindrical Roller Bearing |
| Profile | Complete with Outer and Inner Ring |
| Snap Ring | No |
| Internal Clearance | C3-Loose |
| Retainer | Yes |
| Relubricatable | Yes |
| Inch - Metric | Metric |
| Other Features | High Capacity Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID |
| Long Description | 80MM Bore; Straight Bore Profile; 170MM Outside Diameter; 39MM Width; |



NTN Bearing Driveshaft do Brasil

| | |
|------------------------------|---|
| | Steel Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C3-Loose Inter |
| Category | Cylindrical Roller Bearing |
| UNSPSC | 31171547 |
| Harmonized Tariff Code | 8482.50.00.00 |
| Noun | Bearing |
| Manufacturer URL | http://www.skf.com |
| Manufacturer Item Number | NU 316 ECJ/C3 |
| Weight / LBS | 8.701 |
| d | 3.15 Inch 80 Millimeter |
| D | 6.693 Inch 170 Millimeter |
| B | 1.535 Inch 39 Millimeter |
| bore diameter: | 80 mm |
| static load capacity: | 290 kN |
| outside diameter: | 170 mm |
| precision rating: | Not Rated |
| overall width: | 39 mm |
| maximum rpm: | 5000 RPM |
| flanges: | (2) Outer Ring |
| bearing material: | Steel |
| bore type: | Straight |
| cage material: | Steel |
| number of rows: | 1 |
| finish/coating: | Uncoated |
| internal clearance: | C3 |
| closure type: | Open |
| ring separation: | Separable Ring |
| outer ring width: | 39 mm |
| operating temperature range: | Maximum of +300 ° F |
| | |



NTN Bearing Driveshaft do Brasil

| | |
|------------------------|--------|
| fillet radius: | 2 mm |
| dynamic load capacity: | 300 kN |
| series: | NU3 |